

CSIRO ACOUSTIC MEASUREMENT REPORT

Commonwealth Scientific and Industrial Research Organisation, Infrastructure Technologies Acoustics Testing Laboratory, Gate 5, 2 Normanby Road, Clayton, Vic 3168 Australia

Report No: AC270-05-1

Client:

Bailey Interiors Pty Ltd

83-85 Boundary Road, Mortdale, NSW 2223

Measurement Type: Sound Absorption

AS ISO 354-2006: Acoustics-Measurement of sound absorption in a reverberation room AS ISO 11654-2002 (ISO 11654:1997): Acoustics-Rating of sound absorption-Materials and systems

Test Specimen [Specimen area: 3.6 x 3.0 m (10.8 m²), Test configuration: Type E-400]

Description: • Bailey "EcoCheck" drop-in acoustic ceiling tiles

with integral glass fibre batt behind, non-encapsulated

Tile Details3

- · Perforated moulded plaster ceiling tiles, approx 588 x 588 mm (x 30 mm thick) designed to drop into a standard 600 mm suspended ceiling grid.
- Manufactured with an integral glass fibre batt (Bradford Supertel, 32 kg/m³, 20 mm thick) behind the perforated face, constrained around the perimeter at the rear with plaster skim-coat covering the outer 60 mm of the batt (approx).
- Perforated in a regular pattern of 6.5 mm dia holes (2888 count); the perforations in the vicinity of the perimeter being open only at the face (closed at the rear), with the perforations away from the perimeter being open front and back (exposing the glass fibre batt behind)
- Open area percentage⁴ (estimated): 21.3% (only holes open front and back); 26.6% (all holes).
- The test specimen was installed as an upside down ceiling on the floor of the chamber.
- A 400 mm deep enclosure (32 mm MDF timber, approx 23 kg/m², built to surround an area of 3600 x 3000 mm) was placed on the floor of the chamber, 11° off parallel with the walls. The enclosure was taped at all joints to prevent air leakage between the enclosed space and the outside.
- A system of steel wall studs/track was set up inside the enclosure to support the specimen tiles. The cavity behind the panels was a single undivided cavity without internal partitions.
- Specimen tiles were arranged in a 6 x 5 array on the support system.
- Tee sections were placed on top to cover the gaps between adjacent tiles and acoustically mimic a normal ceiling installation. The perimeter of the installed test specimen was taped with masking tape to seal gaps between the tiles and the enclosure.
- · Specimen installation was carried out by laboratory staff.



Test specimen installed for testing (image inverted to depict ceiling installation)





Tile details - Left: whole tile. Right: close-up view

									iic uctaiis L	cit. Whole the, reigi	n. close up view	
Measurement Details & Results												
Freq	Abso	orption coe	<u>efficients</u>	Reverberation times, T ₆₀ (sec)								
Hz	α_s	α_{p}	95% Conf (δ)	Empty room	with Specimen							
100	0.40		0.07	5.82	3.27	1.0						
125	0.43	0.50	0.08	6.86	3.43					×	- ×	
160	0.68		0.08	6.59	2.63							
200	0.74		0.06	6.43	2.47	0.8						
250	0.72	0.75	0.06	5.40	2.33			× • ×				
315	0.73		0.05	6.57	2.50		×					\searrow
400	0.58		0.05	6.31	2.82	0.6						
500	0.66	0.65	0.05	5.91	2.55	0.0	/		X			
630	0.79		0.05	5.47	2.23		◆ /					*
800	0.79		0.03	5.00	2.14		X					
1000	0.86	0.85	0.04	4.84	2.02	0.4						
1250	0.93		0.04	4.30	1.84							
1600	0.92		0.06	3.93	1.77							
2000	0.86	0.85	0.04	3.53	1.74	0.2					 α_s (1/3-Octa) 	/e) ∣
2500	0.78		0.03	3.22	1.73					•	α _p (whole Oc	ctave)
3150	0.67		0.03	2.96	1.74						 — Ow 0.70 Reference 	, I
4000	0.57	0.60	0.03	2.58	1.66	0.0						
5000	0.52		0.05	2.21	1.49		125	250	500	1000	2000	4000 Hz
Performance	e Indices ^{1,2}								Mea	asurement Conditi	ions	
$\alpha_{W} = 0.70 \text{ (L)}$			The required 12 spatially independent decay curves came							Empty room		Test Specimen
SAA = 0.78		1	from ensemble averaging 10 successive decays with each of					Date of me	Date of measurement: 15 Jan 2020			15 Jan 2020
NRC = (3 different source loudspeaker positions, all sampled by 4					Temperature	& humidity:	27 °C, 58 % R		°C, 41 % R.H.
					ing linear averagin				ric pressure.	996 mBar		992 mBar

Notes, Deviations etc

- Shape indicators (L, M, and H), if any, following the α_W index, indicate α_p values above the reference contour by ≥ 0.25 in the Low, Medium or High frequency ranges respectively; it is strongly recommended to use this single number rating in combination with the complete sound absorption coefficient curve.
- SAA and NRC are defined in ASTM C423; laboratory requirements for which differ from AS ISO 354.
- Physical characteristics of materials may be as per client or supplier's advice; not necessarily verified by CSIRO.
- Open area estimates are based on 600 x 600 mm of ceiling area being 'treated' by each tile.

Issuing Authority

Signed: David Truett 24 January 2020

Instrumentation

Real time analyser: • Brüel & Kjær PULSE LAN-XI type 3160-A-4/2

Microphones/preamps: • 2 x GRAS type 40AP and 2 x B&K type 4134 microphones, all on B&K type 2669 preamps, in 4 fixed positions as per AS ISO 354

Noise source: • Room populated with three decahedron loudspeakers;

2 Norsonic NOR276 & 1 x B&K 4296, driven in turn by a

Norsonic NOR280 power amplifier.

Calibration: • Analyser: July 2018 (NATA cal)

Laboratory Construction

• 300 mm thick concrete (closed off from the adjoining room by a Reverb room: plasterboard wall) • parallelepiped with dimensional proportions

1:1.3:1.6 for distribution of room modes • approx 202 m³ total room

volume • approx 215 m² surface area excluding diffusers Diffusers: • 20 stationary diffusers, approx 40 m² total surface area

Absorption area: • in accordance with AS ISO 354, unless noted otherwise